, - <b>)</b>		JC14 Rec'd PCT/PTO 1 4 DFC 2001					
FORM-PTC (Rev. 9-20		PARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE ATTORNEY'S DOCKET NUMBER					
, , , , , ,	TRANSMITTAL LETTER TO THE UNITED STATES 003300-877						
	CONCERNING A FILI	NG UNDER 35 U.S.C. 370 wassigned 0 / 0.1 8 0 8 2					
	TIONAL APPLICATION NO.	INTERNATIONAL FILING DATE 29 June 2000 PROPRIES 1 1 200 PROPRIES 1 200 PROPRIES 1999 P					
	INVENTION SCOPE FILTER FOR AUTOM	IATIC CONTRAST ENHANCEMENT					
	NT(S) FOR DO/EO/US S HEYDEN						
		tates Designated/Elected Office (DO/EO/US) the following items and other information:					
1. 🛛		ms concerning a filing under 35 U.S.C. 371.					
2.	This is a SECOND or SUBSEQUE	NT submission of items concerning a filing under 35 U.S.C. 371.					
3.	This is an express request to beg (9) and (21) indicated below.	in national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6),					
4. [=0		expiration of 19 months from the priority date (Article 31).					
5.		cation as filed (35 U.S.C. 371(c)(2))					
	a. 🛛 is attached hereto (req	uired only if not communicated by the International Bureau).					
64# #*\$	. 🖂	ed by the International Bureau.					
771	c.  is not required, as the	application was filed in the United States Receiving Office (RO/US).					
6. П		f the International Application as filed (35 U.S.C. 371(c)(2))					
æ	a. I is attached hereto.						
7.	b.  has been previously su	bmitted under 35 U.S.C. 154(d)(4).					
7. 🛛		International Application under PCT Article 19 (35 U.S.C. 371(c)(3))					
PA PA PA	<del></del>	equired only if not communicated by the International Bureau).					
n-i		ted by the International Bureau.					
ğ=±		nowever, the time limit for making such amendments has NOT expired.					
	d. A have not been made as						
8. 🗆	- navo not boon made di	f the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).					
9. 🖾	An oath or declaration of the inve						
o		•					
10.	371(c)(5)).	f the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C.					
Items 11	to 20 below concern document(s)	or information included:					
11. 🛛	An Information Disclosure Statem	nent under 37 CFR 1.97 and 1.98.					
12. 🖾	An assignment document for reco	ording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.					
13. 🛛	A FIRST preliminary amendment.						
14. 🛮	A SECOND or SUBSEQUENT preli	iminary amendment.					
15. 🗀	A substitute specification.						
16.	A change of power of attorney ar	nd/or address letter.					
17. 🗆		sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.					
18 □		nternational application under 35 U.S.C. 154(d)(4).					
19. 🗆		guage translation of the international application under 35 U.S.C. 154(d)(4).					
20. 🛛		smittal of Formal Drawings. Certified copies of Swedish Application No. 9902641 1 filed 9 July					



of prosecution. Thus, the claims for priority have been perfected.

1999 and United States Provisional Application No. 60/150,440 filed 24 August 1999 were submitted during the international phase

u.s. APPLICATION NO. (If kn wn see 37 F. 1.8082 INTERNATIONAL APPLICATION NO. PCT/SE00/01376			003300-877					
	_	<u> </u>			CAL	CULATIONS	PTO USE ONLY	
	21.   The following fees are submitted:							
Basi	asic National Fee (37 CFR 1.492(a)(1)-(5)):  Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to U.S. PATENT AND TRADEMARK							
	nor international se OFFICE	arch fee (37 CFR 1.445(a)(2)	) paid to U.S. PATENT AND The	\$1 040 00 (960)				
	and International Se	earch Report not prepared by inary examination fee (37 CFI	the EPO or JPO	, \$1,040.00 (000)				
	JPO		R 1.482) not paid to ernational Search Report prepa	4030.00 (370)				
	TRADEMARK OFFI but international se OFFICE	CE earch fee (37 CFR 1.445(a)(2) 	R 1.482) not paid to U.S. PAT ) paid to U.S. PATENT AND T	RADEMARK \$740.00 (958)				
			R 1.482) paid to U.S. PATENT					
	but all claims did n	ot satisfy provisions of PCT A	rticle 33(1)-(4)	\$710.00 (956)				
			R 1.482) paid to U.S. PATENT 33(1)-(4)					
	and all claims satis		APPROPRIATE BASIC F		\$	1,040.00		
	Thur was				\$			
Sure	harge of \$130.00 (	154) for furnishing the oath of t claimed priority date (37 CF	r declaration later than R 1.492(e)).	20 🛘 30 🗸				
	Claims	Number Filed	Number Extra	Rate				
Tota	al Claims	20 -20 =		X\$18.00 (966)	\$			
Inde	pendent Claims	2 -3 =	<u></u>	X\$84.00 (964)	\$			
Mul	prie dependent clair	n(s) (if applicable)		+ \$280.00 (968)	\$			
	House Constitution of the		TOTAL OF ABOVE CA	ALCULATIONS =	\$	1,040.00		
Rec	lustion for ½ for filir	ng by small entity, if applicabl	e (see below).	+	\$	520.00		
			SUBTOTAL =	\$	520.00			
Frocessing fee of \$130.00 (156) for furnishing the English translation later than 20 30 \$ months from the earliest claimed priority date (37 CFR 1.492(f)).								
	-		TOTAL N	IATIONAL FEE =	\$	520.00	•	
Fee	for recording the er	nclosed assignment (37 CFR reet (37 CFR 3.28, 3.31). \$4	1.21(h)). The assignment mus 0.00 (581) per property	et be accompanied by +	\$	40.00		
				ES ENCLOSED =	\$	560.00		
一						Amount to be refunded:	\$	
					<u> </u>	charged:	\$	
b.	a. Small entity status is hereby claimed. b. A check in the amount of \$ 560.00 to cover the above fees is enclosed.							
c. Please charge my Deposit Account No. <u>02-4800</u> in the amount of \$ to cover the above fees. A duplicate copy of this sheet is enclosed.								
d. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 02-4800. A duplicate copy of this sheet is enclosed.								
	NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.							
s	SEND ALL CORRESPONDENCE TO:							
	Benton S. Duffett, Jr. BURNS, DOANE, SWECKER & MATHIS, L.L.P. SIGNATURE					7 1		
	P.O. Box 1404 Alexandria, Virginia 22313-1404 (703) 836-6620 Benton S. Duffett, NAME				<u>r.                                      </u>			
	(703) 83	0-0020		,030		Decembe	er 14, 2001	
1				SISTRATION NUMBER		DATE		

Patent Attorney's Docket No. <u>003300-877</u>

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

in re Patent Application of	)
ANDERS HEYDEN	) BOX PCT
Application No.: (unassigned)	Attention: DO/EO/US
Filed: December 14, 2001	) ) Group Art Unit: (unassigned) )
For: MICRSCOPE FILTER FOR AUTOMATIC CONTRAST ENHANCEMENT	Examiner: (unassigned) )

#### TRANSMITTAL OF FORMAL DRAWINGS

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

Applicant submits herewith three (3) sheets of formal drawings (i.e., Figs. 1 to 4).

The examination and allowance of the Application are respectfully requested.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By:

Benton S. Duffett, Jr. Registration No. 22,030

P.O. Box 1404 Alexandria, Virginia 22313-1404 (703) 836-6620

Filed: December 14, 2001

Patent Attorney's Docket No. <u>003300-877</u>

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of	) \
ANDERS HEYDEN	BOX PCT
Application No.: (unassigned)	) Attention: DO/EO/US
Filed: December 14, 2001	) Oroup Art Unit: (unassigned)
For: MICROSCOPE FILTER FOR AUTOMATIC CONTRAST ENHANCEMENT	) Examiner: (unassigned) )

### PRELIMINARY AMENDMENT

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

This is a national phase filing of International Application No. PCT/SE00/01376, filed June 29, 2000.

Please amend the above-identified Application as indicated.

#### **IN THE ABSTRACT:**

Please add the Abstract of the Disclosure that is provided on a separate sheet.

# **IN THE SPECIFICATION:**

Page 1, before line 1, insert:

--This is a 35 U.S.C. §371 filing of International Application No.

PCT/SE00/01376, filed June 29, 2000 that designates the United States of America, and claims the benefit of the filing of Swedish Application No. 9902641-1, filed July 9, 1999

under 35 U.S.C. §119(a), and U.S. Provisional Application No. 60/150,440, filed August 24, 1999 under 35 U.S.C. §119(e).--

### IN THE CLAIMS:

Kindly replace claims 3 and 5 to 12 as follows:

3. (Amended) A microscope as claimed in claim 1, characterised in that it also comprises a second calculating means (25), which is connected to the image sensor and the first calculating means, and which is adapted

to Fourier transform the recorded image,

to determine a limit frequency below which the major part of the light energy of the transformed image is to be found, and

to provide the first calculating means with the limit frequency as a value of the position of the peak value.

- 5. (Amended) A microscope as claimed in claim 1, characterised in that the spatial frequency of the sensor elements is at least 1.5 times higher, and preferably at least 2 times higher, than the maximum spatial frequency of the image.
- 6. (Amended) A microscope as claimed in claim 3 characterised in that the spatial frequency of the sensor elements is at least 1.5 times higher, and preferably at least 2 times higher, than the limit frequency.

- 7. (Amended) A microscope as claimed in claim 1, characterised in that the filter function (17) is continuous and strictly growing from zero frequency to the position of the peak value and strictly increasing toward zero for increasing frequencies from the position of the peak value.
- 8. (Amended) A microscope as claimed in claim 1, characterised in that the filter function (17) is a convolution of two one-dimensional filter functions.
- 9. (Amended) A microscope as claimed in claim 1, characterised in that the filtered image is stored in a storage means (26).
- 10. (Amended) A microscope as claimed in claim 1, characterised in that it also comprises a display (8) on which the filtered image is shown.
- 11. (Amended) A microscope as claimed in claim 1, characterised in that the first calculating means is adapted

to divide the recorded image into colour components, and to provide a digital filter for each of the colour components.

12. (Amended) A microscope as claimed in claim 1, characterised in that the first value essentially is one.

Kindly add the following new Claims 13 to 20:

13. (New) A microscope as claimed in claim 2, characterised in that it also comprises a second calculating means (25), which is connected to the image sensor and the first calculating means, and which is adapted

to Fourier transform the recorded image,

to determine a limit frequency below which the major part of the light energy of the transformed image is to be found, and

to provide the first calculating means with the limit frequency as a value of the position of the peak value.

- 14. (New) A microscope as claimed in claim 2, characterised in that the spatial frequency of the sensor elements is at least 1.5 times higher, and preferably at least 2 times higher, than the maximum spatial frequency of the image.
- 15. (New) A microscope as claimed in claim 3, characterised in that the spatial frequency of the sensor elements is at least 1.5 times higher, and preferably at least 2 times higher, than the maximum spatial frequency of the image.
- 16. (New) A microscope as claimed in claim 13, characterised in that the spatial frequency of the sensor elements is at least 1.5 times higher, and preferably at least 2 times higher, than the maximum spatial frequency of the image.

- 17. (New) A microscope as claimed in claim 4 characterised in that the spatial frequency of the sensor elements is at least 1.5 times higher, and preferably at least 2 times higher, than the limit frequency.
- 18. (New) A microscope as claimed in claim 2, characterised in that the filter function (17) is continuous and strictly growing from zero frequency to the position of the peak value and strictly increasing toward zero for increasing frequencies from the position of the peak value.
- 19. (New) A microscope as claimed in claim 2, characterised in that the filter function (17) is a convolution of two one-dimensional filter functions.
- 20. (New) A microscope as claimed in claim 2, characterised in that the filtered image is stored in a storage means (26).

#### **REMARKS**

The present amendment adds an Abstract of the Disclosure on a separate sheet and modifies the claim format so as to eliminate the use of multiple dependency.

An Information Disclosure Statement and Transmittal of Formal Drawings are being filed concurrently herewith.

The examination and allowance of the Application are respectfully requested.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

By:

Benton S. Duffett, Jr. Registration No. 22,030

P.O. Box 1404 Alexandria, Virginia 22313-1404 (703) 836-6620

Filed: December 14, 2001

Application No. (unassigned) Attorney's Docket No. 003300-877 Page 1

# Attachment to Preliminary Amendment dated December 14, 2001

#### **Abstract of the Disclosure**

A microscope comprises an object holder (3), optics which in an image plane form an image of an object (2) which is placed in the object holder, a digital image sensor (56) which has a number of sensor elements (6) for recording the image. The image sensor and the image plane are arranged in such a manner that the spatial frequency of the sensor elements (6) is higher than the maximum spatial frequency of the image. The microscope further comprises at least a first calculating means (24) which is connected to the image sensor (5) and which is adapted to provide a two-dimensional filter function, which essentially has the value one at the spatial frequency zero, a value higher than zero at a spatial frequency above the maximum spatial frequency of the image and a peak value between said frequencies, to calculate a digital filter corresponding to a two-dimensional inverse Fourier transform of the filter function, and to filter a recorded image by means of the digital filter.

Application No. (unassigned)
Attorney's Docket No. 003300-877
Page 1

# Attachment to Preliminary Amendment dated December 14, 2001 Marked-up Claims 3 and 5 to 12

- 3. (Amended) A microscope as claimed in claim 1 [or 2], characterised in that it also comprises a second calculating means (25), which is connected to the image sensor and the first calculating means, and which is adapted
  - to Fourier transform the recorded image,
- to determine a limit frequency below which the major part of the light energy of the transformed image is to be found, and

to provide the first calculating means with the limit frequency as a value of the position of the peak value.

- 5. (Amended) A microscope as claimed in claim 1, [2 or 3,] characterised in that the spatial frequency of the sensor elements is at least 1.5 times higher, and preferably at least 2 times higher, than the maximum spatial frequency of the image.
- 6. (Amended) A microscope as claimed in claim 3 [or 4] characterised in that the spatial frequency of the sensor elements is at least 1.5 times higher, and preferably at least 2 times higher, than the limit frequency.
- 7. (Amended) A microscope as claimed in [any one of the preceding claims] claim 1, characterised in that the filter function (17) is continuous and strictly growing

# Attachment to Preliminary Amendment dated December 14, 2001 Marked-up Claims 3 and 5 to 12

from zero frequency to the position of the peak value and strictly increasing toward zero for increasing frequencies from the position of the peak value.

- 8. (Amended) A microscope as claimed in [any one of the preceding claims] claim 1, characterised in that the filter function (17) is a convolution of two one-dimensional filter functions.
- 9. (Amended) A microscope as claimed in [any one of the preceding claims] claim 1, characterised in that the filtered image is stored in a storage means (26).
- 10. (Amended) A microscope as claimed in [any one of the preceding claims] claim 1, characterised in that it also comprises a display (8) on which the filtered image is shown.
- 11. (Amended) A microscope as claimed in [any one of the preceding claims] claim 1, characterised in that the first calculating means is adapted

to divide the recorded image into colour components, and to provide a digital filter for each of the colour components.

# Attachment to Preliminary Amendment dated December 14, 2001

# Marked-up Claims 3 and 5 to 12

12. (Amended) A microscope as claimed in [any one of the preceding claims] claim 1, characterised in that the first value essentially is one.

JC13 Rec'd PCT/PTO 1 4 DEC 2001

# 3/pxts

# MICROSCOPE FILTER FOR AUTOMATIC CONTRAST ENHANCEMENT

1

# Field of the Invention

The present invention relates to a microscope having an image processing system and a method for such a microscope.

# Background of the Invention

Microscopes are frequently provided with a camera for recording digital images. The digital image can then be processed in a number of different ways. For example, biological preparations are studied under a microscope provided with an image processing system. The image processing system can then be used to recognise a certain type of organisms or cells to be able to automatically determine the presence of the organism or cell in the specimen.

However, it is sometimes difficult to obtain a sufficiently sharp image to be able to easily carry out automatic recognition and determination of a special type of organisms. This relates especially to small organisms or cells.

For easier automatic recognition, it is possible to use digital filters to improve the contrast in the image and, thus, make it easier for the image processing system to automatically recognise the cells or organisms.

A standard method of improving the contrast in an image is what is referred to as the High-Boost method, in which the image is multiplied by a factor, whereupon a low-pass filtered image is subtracted from the result of the multiplication.

US Patent 5,696,850 discloses a method and a system using an algorithm for increasing the sharpness of reproduced images, the system having a digital camera and a reproduction device. According to the method, the transfer functions of the camera and the reproduction device are determined by measuring them accurately. However, the

The state of the s

 $(\cdot,\cdot)$ 

measuring operation requires advanced and expensive apparatus and is carried out in one direction at a time since it is difficult to make a two-dimensional measurement of the transfer function. Besides, the measurement of the optical transfer function must be effected each time something has been changed in the optical system. Then the inverse Fourier transform of the two combined transfer functions is used to calculate a one-dimensional filter. The filter is used to filter a recorded image by first applying the filter in one direction and subsequently in a direction at right angles to the first.

However, satisfactory results are not achieved by the prior art techniques. Nor is it possible to measure the transfer function for a microscope in the same accurate way as for a camera.

A further problem of the method and the device according to the US patent is that the noise at high frequencies will be amplified in an uncontrolled manner if the value of the transfer function is small for high frequencies. Moreover, a satisfactory result is not achieved with two one-dimensional filters applied successively.

There is thus a need for a method and a microscope with an image processing system which increase the sharpness of an image while at the same time the noise is restricted.

#### Summary of the Invention

An object of the present invention is to provide a microscope, which increases the sharpness while at the same time the noise is restricted in an image taken by means of the microscope.

A further object of the present invention is to provide a method for recording and processing of digital images so as to obtain sharp images.

These objects are achieved by a microscope and a method for the same according to the appended claims.

A microscope with an image processing system according to the invention comprises an object holder, optics

which in an image plane form an image of an object placed in the image holder, and a digital image sensor, which has a number of sensor elements, for recording the image. A microscope according to the invention is characterised in that the image sensor and the image plane are arranged in such manner that the spatial frequency of the sensor elements is higher than the maximum spatial frequency of the image. The microscope further comprises at least one calculating means connected to the sensor, a first calculating means being adapted to provide a two-dimensional filter function, which essentially has a first value at the spatial frequency zero, a value greater than zero at a spatial frequency above the maximum spatial frequency. of the image and a peak value between the spatial frequency zero and the spatial frequency of the second value, to calculate a digital filter corresponding to a two-dimensional inverse transform of the filter function, and to filter a recorded image by means of the digital filter.

The filter function decreases toward zero for spatial frequencies above the spatial frequency of the peak value.

The first value is preferably one since no attenuation usually occurs at the spatial frequency zero. It is, however, possible to have amplification also at the spatial frequency zero in the image.

The spatial frequency of the sensor elements is defined as the inverse of the double distance between two adjoining sensor elements.

Preferably, the microscope is adapted to calculate a digital filter when a user initiates such calculation. Alternatively, the microscope is adapted to calculate a digital filter each time a new image is recorded by means of the image sensor, which, however, does not yield any particular advantages.

By using a two-dimensional filter, it is possible to obtain a rotationally symmetrical result. By the spatial

( :...

frequency of the sensor elements being higher than the maximum spatial frequency of the image, it is possible to use a digital filter, which corresponds to a filter function which has a value different from zero at frequencies above the maximum spatial frequency of the image. The use of such a filter results in noise reduction in the image.

According to an alternative embodiment, the filter function is a convolution of two one-dimensional filter functions. The digital filter, however, will then not be rotationally symmetrical.

The image sensor is advantageously a semiconductor sensor in the form of, for instance, a CMOS sensor or a CCD (charge coupled device) which is composed of a number of sensor elements equidistantly spaced from each other. The spatial frequency of the sensor elements is the inverse of the double distance between two adjoining sensor elements.

However, the image sensor can be some other kind of image sensor such as a vidicon. What is essential for the invention is that the image sensor has a better resolution than the maximum spatial frequency of the image.

Preferably, the sensor elements have a spatial frequency which is at least 1.5 times, advantageously at least 2 times higher, than the maximum spatial frequency of the image.

According to a preferred embodiment of the present invention, the microscope also comprises an input means for inputting values providing information about the filter function.

Preferably, the microscope is adapted to make an estimate of the limit frequency of the optics by recording an image by means of the image sensor. The recorded image is Fourier-transformed so that an image in the frequency plane is obtained. The first calculating means calculates on the basis of the Fourier-transformed image a limit frequency. The integrated signal up to the limit frequency is the major part of the total light energy of the

image and advantageously at least 90%, preferably at least 95%, of the total light energy in the transformed image. The limit frequency measured in the manner described is not the same as the maximum frequency which the optical system lets through, but is a usable estimate thereof.

The limit frequency is used to calculate the position of the peak value of the filter function. It is advantageous to let the position of the peak value depend also on the values of the appearance of the filter function, which are inputted with the aid of the input means.

If the microscope is adapted to estimate the limit frequency, the estimate is preferably made when a user initiates such an estimate, but alternatively the estimate is made each time a new image is recorded.

The filter function is advantageously strictly increasing up to the limit frequency and subsequently strictly decreasing so that the filter function up to the limit frequency conforms as far as possible with the inverse of an actual transfer function. As a rule, an actual transfer function is strictly decreasing up to the maximum frequency which the optical system lets through.

It is possible within the scope of the invention to have a filter function which is neither strictly increasing up to the limit frequency nor strictly decreasing after the limit frequency.

It is advantageous to let the filter function be continuously derivable since this allows a digital filter having a smaller spatial extent and, thus, a more rapid filtration.

It goes without saying that the above features can be combined in the same embodiment.

In order to further illustrate the invention, detailed embodiments thereof will now be described, without the invention being considered to be restricted thereto.

 $(\cdot)$ 

**(**::.

## Brief Description of the Drawings

Fig. 1 is a schematic view of a microscope according to an embodiment of the present invention.

Fig. 2 is a block diagram of the function of a microscope according to the invention.

Fig. 3 illustrates the filter function as a function of the frequency in a microscope according to the present invention.

Fig. 4 shows a digital filter according to the present invention.

### Detailed Description of the Invention

Fig. 1 is a schematic view of a microscope according to the present invention. The microscope has a source of light 1, which illuminates an object 2 placed on an object holder 3. Light from the object is collected with a microscope objective 4. A digital image sensor is arranged at a distance from the microscope objective 4. According to this preferred embodiment, the digital image sensor is a CCD. The CCD 5, the microscope objective 4 and the object 2 are arranged in a spaced-apart relationship so that the image plane of the microscope objective coincides with the surface of the image sensor 5. The CCD is formed with a large number of sensor elements 6 which are mutually spaced apart a distance d. Each picture element corresponds to a pixel in a digital image. The image sensor 5 is connected to an image processing means 7, which in turn is connected to a display 8 and an input means in the form of a keyboard 9. In the image processing means, a first calculating means 24 and a second calculating means 25 are arranged. Between the microscope objective 4 and the CCD 5, lenses 10 are arranged to transfer the image to the CCD 5. The optical system consisting of the microscope objective 4 and the lenses 10 has a combined transfer function which describes how different spatial frequencies of the object 2 are transferred to the image plane. Depending on the design of the objective 4 and the lenses 10, spatial frequencies of

different degrées are transferred from the object 2. The maximum spatial frequency that is transferred from the object 2 to the CCD 5 is usually defined as the resolution of the optical system. Thus only structures corresponding to a certain minimum size of the object will be distinguished in the image. The size of the image, however, may vary by varying the mutual arrangement of the CCD 5, the microscope objective 4 and the object 2. The spatial frequency of the sensor elements is defined as the inverse of their double mutual distance 2d. According to the invention, the object 2, the microscope objective 4, the lenses 10 and the CCD 5 are arranged so that the spatial frequency of the sensor elements is higher than. the maximum spatial frequency of the image. The spatial frequency of the sensor elements is preferably 1.5 times higher than the maximum spatial frequency of the image and advantageously at least 2 times higher than the maximum spatial frequency of the image in order to obtain a reduction of noise.

When an object 2 is placed on the object holder 3, an image will be recorded by the image sensor 5. The recorded image is transferred to the image processing means 7, which processes the image before it is shown on the display 8. The image processing in the image processing means 7 is affected by parameters which are inputted via the keyboard 9.

Fig. 2 is a block diagram of the function of the image processing means 7. The recorded image from the CCD 5 is inputted at the top of the figure to block 12 and at the bottom of the figure to block 13. In block 13, a division into the colour components of the image is made, whereupon the divided image is transferred to block 14 for filtration by means of a digital filter. In block 12, a limit frequency  $(\omega_0)$  is determined by the recorded image being transformed, whereupon  $\omega_0$  is calculated as the frequency below which 95% of the integrated signal in the transformed image is present. The calculation of  $\omega_0$ 

(::

can be carried out each time a new picture is taken or when a user of the microscope initiates a determination of  $\omega_0$ .

According to the preferred embodiment, a digital filter is calculated when a user initiates such a calculation via the keyboard 9.

Fig. 3 shows a filter function as a function of the frequency which describes an amplification as a function of the frequency.

In block 15, parameters for the transfer function of the filter are fetched from the keyboard or from a memory 23 in the image processing means. Examples of the parameters that can be fetched from the keyboard 9 in block 15 are the amplification of the filter at the limit frequency, the position of the limit frequency and the appearance of the filter function above and below the limit frequency. In block 16, the transfer function 17 of the filter is determined on the basis of the parameters that are fetched into block 15. The filter function 17 is determined as follows:

$$H_f(\omega) = \begin{cases} e^{(\omega/\omega_0)^2 \alpha}, & \omega \leq \omega_{\sigma}, \\ e^{\alpha} \left(\frac{\omega_1^2 + \omega_0^2}{\omega_1^2 + \omega^2}\right)^{\gamma}, & \omega \geq \omega_{\sigma}, \end{cases}$$

wherein  $\alpha$ ,  $\gamma$  and  $\omega_1$  are parameters which the user can modify in the input means 9. The parameter  $\omega_0$  can either be defined by the user or be determined automatically by the system and indicates the limit frequency. The amplification at the limit frequency is determined by  $\alpha$ .  $\gamma$  and  $\omega_1$  determine how rapidly the filter fades away at high frequencies.

Thus, the filter function is two-dimensional and dependent on the sum of the frequency  $\omega$  but independent of an angular parameter, a circular symmetrical function being obtained.

The filter function, however, may have a different appearance and can, for instance, be described by one

polynomial up to the limit value and another polynomial above the limit value. The filter function 17 has essentially the value 1 for the frequency zero and a peak value at the limit frequency  $(\omega_0)$ . After the limit frequency  $\omega_0$ , the function decreases. The filter function has, however, a value different from zero above a frequency exceeding the maximum spatial frequency of the image. The limit frequency essentially conforms to the maximum spatial frequency of the image. Once more with reference to Fig. 2, there is made in block 18 a twodimensional inverse transform of the filter function which was calculated in block 16. The inverse-transformed filter function is digitised and cut off to a suitable . size to constitute a digital filter for the recorded image. In block 14, the image of which the colours have been divided is filtered two-dimensionally by means of the digital filter. Subsequently, a voluntary grey-level transformation is made in block 19, whereupon the colours in the image are again put together in block 20. The grey-level transformation is carried out if there is a risk that the grey levels have reached outside permissible values in the filtration. After the processing of the image, the image is shown on the display 8 or stored in a storage means 26.

Fig. 4 illustrates an example of a digital filter 22 which is used in block 14. As is evident from Fig. 4, the filter is circular symmetrical around the top 21. When the image is filtered in block 14, the value in a pixel is multiplied by a value corresponding to the filter at the top 21 and added to the result of the multiplications between the adjoining pixels and a corresponding value in the filter.

A person skilled in the art realises that the invention is not limited to the embodiment shown and that many modifications are feasible within the scope of the invention. For example, block 12 in Fig. 2 can be omitted and the filter function be determined entirely by means of

(:::·

... p. 1942, p. 254, p. 45 p. 455, p.

parameters that are inputted via the keyboard 9 in Fig. 1. A person skilled in the art also realises that blocks 13 and 20 can be omitted if the image is not a colour image.

 A microscope comprising an object holder (3),

optics which in an image plane form an image of an object (2) which is placed in the object holder, and

a digital image sensor (5), which has a number of sensor elements (6) for recording the image, characterised in that the image sensor and the image plane are arranged in such manner that the spatial frequency of the sensor elements (6) is higher than the maximum spatial frequency of the image, the microscope further comprising at least a first calculating means (24) which is connected to the image sensor (5) and which is adapted

to provide a two-dimensional filter function, which essentially has a first value at the spatial frequency zero, a second value which is different from zero at a spatial frequency above the maximum spatial frequency of the image and a peak value between the spatial frequency zero and the spatial frequency of the second value,

to calculate a digital filter which corresponds to a two-dimensional inverse Fourier transform of the filter function, and

to filter a recorded image by means of the digital filter.

25 2. A microscope as claimed in claim 1, c h a r - a c t e r i s e d in that it also comprises an input means (9) connected to the calculating means for inputting values which provide information about at least one of the peak value of the filter function, the spatial frequency of the peak value, the filter function for spatial frequencies below the spatial frequency of the peak value, or the filter function for spatial frequencies above the spatial frequency of the peak value, the inputting means being connected to the calculating means and

The state of the s

20

5

£ ...

É

20

the inputted values being used by the calculating means to provide the filter function.

3. A microscope as claimed in claim 1 or 2, characterised in that it also comprises a second calculating means (25), which is connected to the image sensor and the first calculating means, and which is adapted

to Fourier transform the recorded image,

to determine a limit frequency below which the major 10 part of the light energy of the transformed image is to be found, and

to provide the first calculating means with the limit frequency as a value of the position of the peak value.

- 4. A microscope as claimed in claim 3, c h a r a c t e r i s e d in that the limit frequency is determined as the frequency below which at least 90% of the energy in the image is to be found.
- 5. A microscope as claimed in claim 1, 2 or 3, characterised in that the spatial frequency of the sensor elements is at least 1.5 times higher, and preferably at least 2 times higher, than the maximum spatial frequency of the image.
- 6. A microscope as claimed in claim 3 or 4,
  25 characterised in that the spatial frequency of the sensor elements is at least 1.5 times higher, and preferably at least 2 times higher, than the limit frequency.
- 7. A microscope as claimed in any one of the preceding claims, characterised in that the filter function (17) is continuous and strictly growing from zero frequency to the position of the peak value and strictly increasing toward zero for increasing frequencies from the position of the peak value.
- 8. A microscope as claimed in any one of the preceding claims, characterised in that the filter

10

15

1 20

25

30

function is a convolution of two one-dimensional filter functions.

- 9. A microscope as claimed in any one of the preceding claims, characterised in that the filtered image is stored in a storage means (26).
  - 10. A microscope as claimed in any one of the preceding claims, characterised in that it also comprises a display (8) on which the filtered image is shown.
  - 11. A microscope as claimed in any one of the preceding claims, characterised in that the first calculating means is adapted

to divide the recorded image into colour component's, and

to provide a digital filter for each of the colour components.

- 12. A microscope as claimed in any one of the preceding claims, characterised in that the first value essentially is one.
  - 13. A method for a microscope, characterised by the steps of

arranging an image sensor (5) which has a plurality of sensor elements (6), optics (4, 10) and an object (2) at a mutual distance from each other, so that an image of the object is formed on the image sensor (5), the spatial frequency of the sensor elements (6) being higher than the maximum spatial frequency of the image,

recording the image by means of the image sensor (5),


providing a two-dimensional filter function, which essentially has a first value at the spatial frequency zero, a second value different from zero at a spatial frequency which is higher than the maximum spatial frequency of the image and a peak value between the spatial frequency zero and the spatial frequency of the second value,


calculating a digital filter which corresponds to a two-dimensional inverse Fourier transform of the filter function, and

filtering the recorded image by means of the digital filter.

... He will be to be the first that the best of the be

eff in the first period period








Fig. 4

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY  Attorney's Docket No.							
(Includes Reference to Provisional and PCT International Applications)			003300-877				
As a below named inventor, I hereby declare that:  My residence, post office address and citizenship are as stated below next to my name; I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:							
Microsco	ope filter	for automatic con	trast enhancement				
2	1.						
the sp	pecification of wh	nich (check only one item below):					
□k	is attached here	to.					
	was filed as Uni	ited States application					
3 :				,			
A A	•						
44 44 44 44 44 44 44 44 44 44 44 44 44	and was amende						
Hair Hair	on		(if applicable).				
The control of the co							
		T international application		1			
Find of	Number	PCT/SE00/01376					
H = 1.0		29 June 2000					
E Char	and was amende						
<b>F</b> **	on		(if applicable).	•			
I hereby sta	te that I have rev any amendment	iewed and understand the content referred to above.	s of the above-identified specificat	ion, including the claims, as			
I acknowled 37, Code of	lge the duty to di Federal Regulat	sclose to the Office all informatio ions, §1.56.	n known to me to be material to p	atentability as defined in Title			
I hereby claim foreign priority benefits under Title 35, United States Code, §119 (a)-(e) of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:							
PRIOR FORE	IGN/PCT APPL	ICATION(S) AND ANY PRIOR	RITY CLAIMS UNDER 35 U.S.	C. §119:			
	INTRY licate "PCT")	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 35 U.S.C. §119			
Sweden	<u> </u>	9902641-1	9 July 1999	<u>X_</u> Yes _No			
0				_Yes _No			
				_Yes _No			
YesNo							
I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.							
60/150 440 24 August 1999							
	olication Number	<del></del>	24 August 1999 (Filing Date)				
(Apr	olication Number	)	(Filing Date)				

#### COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY (CONTINUED) (Includes Reference to Provisional and PCT International Applications)

Attorney's Docket No. 003300÷877

I hereby claim the benefit under Title 35, United States Code, §120 of any United States applications(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose to the Office all information known to me to be material to the patentability as defined in Title 37, Code of Federal Regulations §1.56, which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 U.S.C. 120:

U.S. APPLICATIONS			STATUS (check one)			
U.S. APPLICATION NUMBER U.S. FILING DATE			PATENTED	PENDING	ABANDONED	
*						
PCT	APPLICATIONS DESIGNAT	TING THE U.S.				
PGT APPLICATION NO.	2					
THE TANK THE						
English						

I hereby appoint the following attorneys and agent(s) to prosecute said application and to transact all business in the Patent and Trademark Office connected therewith and to file, prosecute and to transact all business in connection with international applications directed to said invention:

Tabbingarione among to para	221 / 02202022	1	· · · · · · · · · · · · · · · · · · ·	_	
201				·	1
William L. Mathis	17,337	R. Danny Huntington	27,903	Gerald F. Swiss	30,113
Robert S. Swecker	19,885	Eric H. Weisblatt	30,505	Michael J. Ure	33,089 \
Platon N. Mandros	22,124	James W. Peterson	26,057	Charles F. Wieland III	33,096
Benton S. Duffett, Jr.	22,030	Teresa Stanek Rea	30,427	Bruce T. Wieder	33,815
Norman H. Stepno	22,716	Robert E. Krebs	25,885	Todd R. Walters	34,040
Ronald L. Grudziecki	24,970	William C. Rowland	30,888	Ronni S. Jillions	31,979
Fréderick G. Michaud, Jr.	26,003	T. Gene Dillahunty	25,423	Harold R. Brown III	36,341
Alan E. Kopecki	25,813	Patrick C. Keane	32,858	Allen R. Baum	36,086
Regis E. Slutter	26,999	Bruce J. Boggs, Jr.	32,344	Steven M. du Bois	35,023
Samuel C. Miller, III	27,360	William H. Benz	25,952	Brian P. O'Shaughnessy	32,747
Robert G. Mukai	28,531	Peter K. Skiff	31,917		1
George A. Hovanec, Jr.	28,223	Richard J. McGrath	29,195		L 1
James A. LaBarre	28,632	Matthew L. Schneider	32,814		"
E. Joseph Gess	/ 28,510	Michael G. Savage	32,596	21839	
,	,	1	,		

and: None

Address all correspondence to:



21839

Steven M. du Bois BURNS, DOANE, SWECKER & MATHIS, L.L.P. P.O. Box 1404

Alexandria, Virginia 22313-1404

Address all telephone calls to: Steven M. du Bois

at (703) 836-6620.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

(Includes Reference to Provisional and PCT International Applic	ATTORNEY'S DOCKET NO. 003300-877	
FULL NAME OF SOLE OR FIRST INVENTOR	SIGNATURE 0 10	
Anders Heyden	And bud	DATE   Tu - 0)
RESIDENCE		CITIZENSHIP
Dalby, Sweden POST OFFICE ADDRESS		Sweden
	•	
Skogslyckevägen 9, 240 10 Dalby, St FULL NAME OF SECOND JOINT INVENTOR, IF ANY		
1 022 MANUAL OF BECOME FORM ENVENTOR, IF ANY	SIGNATURE	DATE
RESIDENCE		CITIZENSHIP
		CITIZENSHIP
POST OFFICE ADDRESS		
•		
FULL NAME OF THIRD JOINT INVENTOR, IF ANY	SIGNATURE	DATE
RESIDENCE		
REDERCE		CITIZENSHIP
POST OFFICE ADDRESS		
their entry		
FULL NAME OF FOURTH JOINT INVENTOR, IF ANY	SIGNATURE	DATE
nne Lei		22
RESTORNCE		CITIZENSHIP
775		
POST OFFICE ADDRESS		
FULL NAME OF FIFTH JOINT INVENTOR, IF ANY	SIGNATURE	DATE
RESTRENCE		CITIZENSHIP
1.5		
POST OFFICE ADDRESS		
FULL NAME OF SIXTH JOINT INVENTOR, IF ANY	SIGNATURE	DATE
्राज्य		
RESIDENCE		CITIZENSHIP
POST OFFICE ADDRESS		
POST OFFICE ADDRESS		
FULL NAME OF SEVENTH JOINT INVENTOR, IF ANY	SIGNATURE	
-	SIGNATURE	DATE
RESIDENCE	L	CITIZENSHIP
POST OFFICE ADDRESS	ANA	1
FULL NAME OF EIGHTH JOINT INVENTOR, IF ANY	SIGNATURE	DATE
RESIDENCE		
ACCIDENCE .		CITIZENSHIP
POST OFFICE ADDRESS		
FULL NAME OF NINTH JOINT INVENTOR, IF ANY	SIGNATURE	DATE
<i>3</i>		
RESIDENCE		CITIZENSHIP
POST OFFICE ADDRESS		
		ļ.